

# QUICK --- SHIP

The Quick Ship products are in stock in the US so we can offer them with a shortened lead time when needed. To take advantage of this improved lead time, please order these items through our new **Quick Ship Program**; otherwise our standard lead-time of 6 to 8 weeks for fixtures and 2 weeks for rough-ins applies.

Send your order by email to  
**orders@deltalight.us**  
with "Quick Ship" in the subject line.

—  
Provide a purchase order for your order noting  
"Quick Ship Program".

—  
Include only Quick Ship items on your  
Quick Ship order.

—  
Ensure complete and correct  
Quick Ship catalog numbers are provided.

—  
Include complete shipping and contact information.










—  
Limit Quick Ship quantities to 50 pieces or less  
per fixture type per order.  
If quantity desired is beyond 50 units, contact factory  
directly on availability and rush charge.

—  
Orders for Quick Ship are non-cancelable and  
non-refundable. Standard product warranty  
applies to Quick Ship SKUs.

















—  
Orders will be entered within 24 hours of receipt of  
purchase order. Lead times are calculated by business  
days from time of sales order confirmation.  
Orders will ship within Quick Ship lead times or sooner.





—  
Additional shipping charges may apply.  
—

# QUICK SHIP INDEX

PICTURE	NAME	DESCRIPTION	WATTAGE	COLOR TEMPERATURE	CRI	FINISH
	BOXY L+ LED	<b>INTERIOR CEILING SURFACE</b> 3"-3/16 SQUARE FIXED REFLECTOR FL-33° MAINS DIMMING	7W	3000K	80	BLACK-GOLD MATTE WHITE-WHITE
	BOXY R	<b>INTERIOR CEILING SURFACE</b> 3"-9/16 ROUND FIXED REFLECTOR FL-33° MAINS DIMMING	9.3W	3000K	80	WHITE-WHITE
	CARREE GT LED	<b>NEW CONSTRUCTION</b> <b>INTERIOR CEILING RECESSED</b> 3"-3/16 SQUARE FIXED / INCL.GLASS TRIM REFLECTOR FL-33°	10W	3000K	80	WHITE
		<b>REMODEL</b> <b>INTERIOR CEILING RECESSED</b> 3"-3/16 SQUARE FIXED / INCL.GLASS TRIM REFLECTOR FL-33°	10W 14W	3000K	80	WHITE
	CARREE ST L LED	<b>NEW CONSTRUCTION</b> <b>INTERIOR CEILING RECESSED</b> 3"-1/8 SQUARE FIXED REFLECTOR FL-33°	10W	3000K	80 90	BLACK-GOLD MATTE WHITE-WHITE
		<b>REMODEL</b> <b>INTERIOR CEILING RECESSED</b> 3"-1/8 SQUARE FIXED REFLECTOR FL-33°	10W 14W	3000K	80 90	BLACK-GOLD MATTE WHITE-WHITE
	CARREE ST LED	<b>NEW CONSTRUCTION</b> <b>INTERIOR CEILING RECESSED</b> 3"-1/8 SQUARE FIXED REFLECTOR FL-33°	10W	3000K	80 90	WHITE
		<b>REMODEL</b> <b>INTERIOR CEILING RECESSED</b> 3"-1/8 SQUARE FIXED REFLECTOR FL-33°	10W 14W	3000K	80 90	WHITE
	CARREE ST OK LED	<b>NEW CONSTRUCTION</b> <b>INTERIOR CEILING RECESSED</b> 3"-1/8 SQUARE ADJUSTABLE 0°- 30° REFLECTOR FL-33°	10W	3000K	80 90	WHITE
		<b>REMODEL</b> <b>INTERIOR CEILING RECESSED</b> 3"-1/8 SQUARE ADJUSTABLE 0°- 30° REFLECTOR FL-33°	10W 14W	3000K	80 90	WHITE
	CARREE TRIMLESS LED	<b>NEW CONSTRUCTION</b> <b>INTERIOR CEILING RECESSED</b> 3" SQUARE FIXED REFLECTOR FL-33°	10W	3000K	80 90	ALUMINUM GRAY WHITE
		<b>REMODEL</b> <b>INTERIOR CEILING RECESSED</b> 3" SQUARE FIXED REFLECTOR FL-33°	10W 14W	3000K	80 90	ALUMINUM GRAY WHITE
	CARREE TRIMLESS OK LED	<b>NEW CONSTRUCTION</b> <b>INTERIOR CEILING RECESSED</b> 3" SQUARE ADJUSTABLE 0°- 25° REFLECTOR FL-33°	10W	3000K	80 90	ALUMINUM GRAY WHITE
		<b>REMODEL</b> <b>INTERIOR CEILING RECESSED</b> 3" SQUARE ADJUSTABLE 0°- 25° REFLECTOR FL-33°	10W 14W	3000K	80 90	ALUMINUM GRAY WHITE
	CARREE X LED	<b>NEW CONSTRUCTION</b> <b>EXTERIOR CEILING RECESSED</b> 3"-9/16 SQUARE FIXED REFLECTOR FL-33°	7W	3000K	80	ALUMINUM GRAY

PICTURE	NAME	DESCRIPTION	WATTAGE	COLOR TEMPERATURE	CRI	FINISH
	DEEP RINGO LED	<b>NEW CONSTRUCTION</b> <b>INTERIOR CEILING RECESSED</b> 3"-3/16 ROUND FIXED REFLECTOR FL-33°	10W	3000K	80 90	WHITE
		<b>REMODEL</b> <b>INTERIOR CEILING RECESSED</b> 3"-3/16 ROUND FIXED REFLECTOR FL-33°	10W 14W	3000K	80 90	WHITE
	DEEP RINGO S LED	<b>NEW CONSTRUCTION</b> <b>INTERIOR CEILING RECESSED</b> 3"-1/8 SQUARE FIXED REFLECTOR FL-33°	10W	3000K	80	WHITE
		<b>REMODEL</b> <b>INTERIOR CEILING RECESSED</b> 3"-1/8 SQUARE FIXED REFLECTOR FL-33°	10W 14W	3000K	80	WHITE
	DIRO GT LED	<b>NEW CONSTRUCTION</b> <b>INTERIOR CEILING RECESSED</b> 3"-3/8 ROUND FIXED / INCL.GLASS TRIM REFLECTOR FL-33°	10W	3000K	80	WHITE
		<b>REMODEL</b> <b>INTERIOR CEILING RECESSED</b> 3"-3/8 ROUND FIXED / INCL.GLASS TRIM REFLECTOR FL-33°	10W 14W	3000K	80	WHITE
	DIRO ST OK LED	<b>NEW CONSTRUCTION</b> <b>INTERIOR CEILING RECESSED</b> 3"-1/4 ROUND ADJUSTABLE 0°- 20° / 350° REFLECTOR FL-33°	10W	3000K	80 90	WHITE
		<b>REMODEL</b> <b>INTERIOR CEILING RECESSED</b> 3"-1/4 ROUND ADJUSTABLE 0°- 20° / 350° REFLECTOR FL-33°	10W 14W	3000K	80 90	WHITE
	DIRO TRIMLESS LED	<b>NEW CONSTRUCTION</b> <b>INTERIOR CEILING RECESSED</b> 3"-3/16 ROUND FIXED REFLECTOR FL-33°	10W	3000K	80 90	WHITE
		<b>REMODEL</b> <b>INTERIOR CEILING RECESSED</b> 3"-3/16 ROUND FIXED REFLECTOR FL-33°	10W 14W	3000K	80 90	WHITE
	FEMTOLINE 25	<b>INTERIOR-EXTERIOR</b> <b>CEILING / WALL SURFACE PROFILE</b> 13/16" x 15/16" x CUSTOM LENGTH	15W/3' 22W/3'	3000K 2700K	80	WHITE
	FEMTOLINE 25 T	<b>INTERIOR-EXTERIOR</b> <b>CEILING / WALL / FLOOR SURFACE PROFILE</b> 1" x 1"-1/8" x CUSTOM LENGTH	15W/3' 22W/3'	3000K 2700K	80	WHITE
	HELI 1 LED	<b>INTERIOR WALL RECESSED</b> 3"-3/16 SQUARE FIXED / INCL.PC SBL EXCL.LED POWER SUPPLY 350mA-DC	1.1W	3000K	80	WHITE
	HELI 1 SCREEN LED	<b>INTERIOR WALL RECESSED</b> 3"-3/16 SQUARE FIXED EXCL.LED POWER SUPPLY 350mA-DC	1.1W	3000K	80	WHITE
	HELI X SCREEN LED	<b>EXTERIOR WALL RECESSED</b> 3"-9/16 x 4"-1/8 FIXED EXCL.LED POWER SUPPLY 350mA-DC	1.1W	3000K	80	ALUMINUM GRAY DARK GRAY
	INLET S	<b>INTERIOR WALL RECESSED</b> 1"-1/4 x 7"-1/4 FIXED EXCL.LED POWER SUPPLY 350mA-DC	1.1W	3000K	80	ALUMINUM GRAY WHITE
	KIX 1	<b>EXTERIOR WALL SURFACE</b> 4"-13/16 x Ø4"-1/8 ADJUSTABLE 90° / REFLECTOR FL-30° NON-DIMMABLE EXCL.LED POWER SUPPLY 24V-DC	6.2W	3000K	80	DARK GRAY

PICTURE	NAME	DESCRIPTION	WATTAGE	COLOR TEMPERATURE	CRI	FINISH
	KIX PIN 1	<b>EXTERIOR FLOOR SURFACE</b> 4"-13/16 x 04"-1/8 x 23"-5/8 ADJUSTABLE 180° / REFLECTOR FL-30° NON-DIMMABLE EXCL.LED POWER SUPPLY 24V-DC	6.2W	3000K	80	DARK GRAY
	KIX S	<b>EXTERIOR CEILING / WALL / FLOOR SURFACE</b> 3" x 01"-5/16 ADJUSTABLE 180° EXCL.LED POWER SUPPLY 350-700mA-DC	1.1W-2.3W	3000K	80	DARK GRAY
	KIX S PIN	<b>EXTERIOR FLOOR SURFACE</b> 3" x 01"-5/16 x 10"-5/8 ADJUSTABLE 180° EXCL.LED POWER SUPPLY 350-700mA-DC	1.1W-2.3W	3000K	80	DARK GRAY
	LOGIC 60 R1	<b>EXTERIOR FLOOR RECESSED</b> 3"-1/8 x 02"-3/8 FIXED / REFLECTOR FL-20° NON-DIMMABLE EXCL.LED POWER SUPPLY 24V-DC	6.2W	3000K	80	ANODIZED ALUMINUM
	LOGIC 60 R2	<b>EXTERIOR FLOOR RECESSED</b> 3"-1/8 x 02"-3/8 FIXED / REFLECTOR FL-20° EXCL.LED POWER SUPPLY 350mA-DC	6.2W	3000K	80	ANODIZED ALUMINUM
	LOGIC 60 R1 MOON	<b>EXTERIOR FLOOR RECESSED</b> 3"-1/8 x 02"-3/8 FIXED / REFLECTOR FL-20° NON-DIMMABLE EXCL.LED POWER SUPPLY 24V-DC	6.2W	3000K	80	ANODIZED ALUMINUM
	LOGIC 60 R2 MOON	<b>EXTERIOR FLOOR RECESSED</b> 3"-1/8 x 02"-3/8 FIXED / REFLECTOR FL-20° EXCL.LED POWER SUPPLY 350mA-DC	6.2W	3000K	80	ANODIZED ALUMINUM
	LOGIC R1 A	<b>EXTERIOR FLOOR RECESSED</b> 3"-3/8 x 04"-5/16 FIXED / REFLECTOR FL-30° NON-DIMMABLE EXCL.LED POWER SUPPLY 24V-DC	6.2W	3000K	80	ANODIZED ALUMINUM
	LOGIC R2 A	<b>EXTERIOR FLOOR RECESSED</b> 3"-3/8 x 04"-5/16 FIXED / REFLECTOR FL-30° EXCL.LED POWER SUPPLY 350mA-DC	6.2W	3000K	80	ANODIZED ALUMINUM
	MICROLINE TR	<b>INTERIOR-EXTERIOR CEILING / WALL RECESSED</b> 3" x 1"-7/8 x CUSTOM LENGTH	15W/3' 22W/3'	3000K 2700K	80	ANODIZED ALUMINUM
	MICROLINE TRW	<b>INTERIOR-EXTERIOR CEILING / WALL RECESSED</b> 2"-1/4 x 2"-5/8 x CUSTOM LENGTH	15W/3' 22W/3'	3000K 2700K	80	ANODIZED ALUMINUM
	MINIGRID IN 1 SI REO	<b>NEW CONSTRUCTION INTERIOR CEILING RECESSED</b> 4"-7/8 SQUARE ADJUSTABLE 0°- 20° / 350° REFLECTOR FL-33°	9.3W	3000K 2700K	80 90	WHITE-BLACK WHITE-WHITE
	MINIGRID IN 2 SI REO	<b>NEW CONSTRUCTION INTERIOR CEILING RECESSED</b> 4"-7/8 x 8"-7/8 ADJUSTABLE 0°- 20° / 350° REFLECTOR FL-33°	9.3W x 2	3000K 2700K	80 90	WHITE-BLACK WHITE-WHITE
	MINIGRID IN TRIMLESS 1 SI REO	<b>NEW CONSTRUCTION INTERIOR CEILING RECESSED</b> 4"-1/8 SQUARE ADJUSTABLE 0°- 20° / 350° REFLECTOR FL-33°	9.3W	3000K 2700K	80 90	WHITE-BLACK WHITE-WHITE
	MINIGRID IN TRIMLESS 2 SI REO	<b>NEW CONSTRUCTION INTERIOR CEILING RECESSED</b> 4"-1/8 x 8"-1/8 ADJUSTABLE 0°- 20° / 350° REFLECTOR FL-33°	9.3W x 2	3000K 2700K	80 90	WHITE-BLACK WHITE-WHITE
	MINIGRID IN ZB 1 REO	<b>NEW CONSTRUCTION INTERIOR CEILING RECESSED</b> 4"-1/4 SQUARE ADJUSTABLE 0°- 30° REFLECTOR FL-33° DIMMING BY 0-10V	6.2W	3000K	80	WHITE
		<b>REMODEL INTERIOR CEILING RECESSED</b> 4"-1/4 SQUARE ADJUSTABLE 0°- 30° REFLECTOR FL-33° DIMMING BY 0-10V	6.2W	3000K	80	WHITE

PICTURE	NAME	DESCRIPTION	WATTAGE	COLOR TEMPERATURE	CRI	FINISH
	MINIGRID IN ZB 2 REO	<b>NEW CONSTRUCTION</b> <b>INTERIOR CEILING RECESSED</b> 4"-1/4 x 8"-9/16 ADJUSTABLE 0°- 30° REFLECTOR FL-33° DIMMING BY 0-10V	6.2W x 2	3000K	80	WHITE
		<b>REMODEL</b> <b>INTERIOR CEILING RECESSED</b> 4"-1/4 x 8"-9/16 ADJUSTABLE 0°- 30° REFLECTOR FL-33° DIMMING BY 0-10V	6.2W x 2	3000K	80	WHITE
	MOMBA DOWN-UP LED	<b>EXTERIOR WALL SURFACE</b> 2"-15/16 x 6"-11/16 x 3"-1/2 FIXED NON-DIMMABLE	6.2W	3000K	80	DARK GRAY
	MOMBA LED	<b>EXTERIOR WALL SURFACE</b> 2"-15/16 x 4"-1/4 x 3"-1/2 FIXED NON-DIMMABLE	6.2W	3000K	80	DARK GRAY
	TIGA LED	<b>EXTERIOR WALL SURFACE</b> 4"-1/16 x 4"-1/8 x 3"-9/16 FIXED NON-DIMMABLE	7W	3000K	80	GRAY BROWN