

DELTALIGHT®




# DOT.COM M4 TRIMLESS 92749 MMAT

424 512 04 923 MMAT

AVAILABLE IN
**BLACK** 424 512 04 923 B
**CHROMED** 424 512 04 923 C
**GOLD MATT** 424 512 04 923 MMAT




View on website

| General info | |
|---|---|
| **LOCATION** | indoor |
| **INSTALLATION** | Ceiling Recessed |
| **CUTOUT SHAPE/SIZE (MM)** | rectangle - KIT |
| **RECESSED DEPTH (MM)** | 60 |
| **INGRESS PROTECTION** | IP20 |
| **WEIGHT (KG)** | 0.2 |
| **ADJUSTABILITY** | non adjustable |
| **INFORMATION** | 4 x REFLECTOR WFL-49°<br>EXCL.LED POWER SUPPLY 500mA-DC |

| Electrical info | |
|---|---|
| **CLASS** | III |
| **DIM TYPE** | depending on type of external power supply |
| **ENERGY CLASS** | E |
| **CERTIFICATES** | CB, EAC, ENEC |

| Lightsource info | |
|---|---|
| **LIGHTSOURCE NAME** | LED |
| **LIGHTSOURCE** | LED cluster 5,7W / CRI>90 (R9: 50) / 2700K / 631lm |
| **TM-30 VALUES** | Rf: 92 / Rg: 100 |
| **SDCM** | SDCM3 |
| **RISKGROUP** | RG2 |
| **LM80** | L80 > 60000 |
| **LED TECHNICS (LIGHT SOURCE)** | 631lm // 5,7W // 111lm/W |
| **LED TECHNICS (LUMINAIRE)** | 454lm // 7W // 69lm/W |

**Requirements**

MOUNTING KIT DOT.COM M4 TRIMLESS
LED POWER SUPPLY 500mA-DC DIM (Remote)

DELTALIGHT®

# DOT.COM M4 TRIMLESS 92749 MMAT

424 512 04 923 MMAT

For detailed installation instructions, please consult the manual: **424_512_04_XXX_HAND.pdf**

## CEILING COMPATIBILITY










| Ceiling Type | Mounting Kit | |
|---|---|---|
|  **Plasterboard** | MOUNTING KIT DOT.COM M4 TRIMLESS | Required |
|  **Stucanet** | MOUNTING KIT DOT.COM M4 TRIMLESS | Required |
|  **Concrete + plaster** | MOUNTING KIT DOT.COM M4 TRIMLESS | Required |
|  **Lintel + plaster** | MOUNTING KIT DOT.COM M4 TRIMLESS | Required |
|  **Hollow-core slab + plaster** | MOUNTING KIT DOT.COM M4 TRIMLESS | Required |
|  **Stretched ceiling** | MOUNTING KIT DOT.COM M4 TRIMLESS CSC | Required |
| | MOUNTING KIT DOT.COM M4 TRIMLESS WSC | Required |

DELTALIGHT®

# DOT.COM M4 TRIMLESS 92749 MMAT

424 512 04 923 MMAT


## FINISH YOUR SPECIFICATION

| LED power supplies | | | # |
|---|---|---|---|
|  | **300 90 63** | LED POWER SUPPLY MULTI-POWER DIM9 | 1->6(6) ☐ |
|  | **300 90 68** | LED POWER SUPPLY MULTI-POWER DIM5 | 1->4(2) ☐ |
|  | **300 90 69** | LED POWER SUPPLY MULTI-POWER HV DIM9 | 1->9(6) ☐ |
|  | **300 90 124** | LED POWER SUPPLY MULTI-POWER DIM7 | 1->3(2) ☐ |
|  | **300 90 125** | LED POWER SUPPLY MULTI-POWER MINI DIM5 | 1->3(2) ☐ |
|  | **21012 0010** | LED POWER SUPPLY MULTI POWER | 1->3 ☐ |
|  | **21012 0021** | LED POWER SUPPLY MULTI POWER DIM1 | 1->4 ☐ |
|  | **21012 0035** | LED POWER SUPPLY MULTI POWER DIM5 | 1->4 ☐ |
|  | **21012 005W** | LED POWER SUPPLY MULTI-POWER COMPACT WDL | 1->4 ☐ |


DELTALIGHT®

# DOT.COM M4 TRIMLESS 92749 MMAT


424 512 04 923 MMAT





**21012 0278** LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8 2->2




**21012 0288** LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8 3->4





**21012 0298** LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8 1->3





**21032 0305** LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5 1->3

## Mounting kits





**424 512 04 00** MOUNTING KIT DOT.COM M4 TRIMLESS

## Mounting kits stretched ceiling




**15212 0110** MOUNTING KIT DOT.COM M4 TRIMLESS CSC




**15212 0180** MOUNTING KIT DOT.COM M4 TRIMLESS WSC

DELTALIGHT®

# DOT.COM M4 TRIMLESS 92749 MMAT

424 512 04 923 MMAT

Notes: