

DELTALIGHT®




DOT.COM M4 TRIMLESS 93049 MMAT

424 512 04 933 MMAT

AVAILABLE IN
BLACK 424 512 04 933 B
CHROMED 424 512 04 933 C
GOLD MATT 424 512 04 933 MMAT





View on website

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - KIT
RECESSED DEPTH (MM)	60
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.2
ADJUSTABILITY	non adjustable
INFORMATION	4 x REFLECTOR WFL-49° EXCL.LED POWER SUPPLY 500mA-DC

Electrical info	
CLASS	III
DIM TYPE	depending on type of external power supply
ENERGY CLASS	E
CERTIFICATES	CB, EAC, ENEC

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED cluster 5,7W / CRI>90 (R9: 50) / 3000K / 648lm
TM-30 VALUES	Rf: 90 / Rg: 101
SDCM	SDCM3
RISKGROUP	RG2
LM80	L80 > 60000
LED TECHNICS (LIGHT SOURCE)	648lm // 5,7W // 114lm/W
LED TECHNICS (LUMINAIRE)	466lm // 7W // 71lm/W

Requirements

MOUNTING KIT DOT.COM M4 TRIMLESS
LED POWER SUPPLY 500mA-DC DIM (Remote)

DELTALIGHT®

DOT.COM M4 TRIMLESS 93049 MMAT

424 512 04 933 MMAT

For detailed installation instructions, please consult the manual: **424_512_04_XXX_HAND.pdf**

CEILING COMPATIBILITY










Ceiling Type	Mounting Kit	
 **Plasterboard**	MOUNTING KIT DOT.COM M4 TRIMLESS	Required
 **Stucanet**	MOUNTING KIT DOT.COM M4 TRIMLESS	Required
 **Concrete + plaster**	MOUNTING KIT DOT.COM M4 TRIMLESS	Required
 **Lintel + plaster**	MOUNTING KIT DOT.COM M4 TRIMLESS	Required
 **Hollow-core slab + plaster**	MOUNTING KIT DOT.COM M4 TRIMLESS	Required
 **Stretched ceiling**	MOUNTING KIT DOT.COM M4 TRIMLESS CSC	Required
	MOUNTING KIT DOT.COM M4 TRIMLESS WSC	Required

DELTALIGHT®

DOT.COM M4 TRIMLESS 93049 MMAT

424 512 04 933 MMAT


FINISH YOUR SPECIFICATION

LED power supplies			#
	**300 90 63**	LED POWER SUPPLY MULTI-POWER DIM9	1->6(6) ☐
	**300 90 68**	LED POWER SUPPLY MULTI-POWER DIM5	1->4(2) ☐
	**300 90 69**	LED POWER SUPPLY MULTI-POWER HV DIM9	1->9(6) ☐
	**300 90 124**	LED POWER SUPPLY MULTI-POWER DIM7	1->3(2) ☐
	**300 90 125**	LED POWER SUPPLY MULTI-POWER MINI DIM5	1->3(2) ☐
	**21012 0010**	LED POWER SUPPLY MULTI POWER	1->3 ☐
	**21012 0021**	LED POWER SUPPLY MULTI POWER DIM1	1->4 ☐
	**21012 0035**	LED POWER SUPPLY MULTI POWER DIM5	1->4 ☐
	**21012 005W**	LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->4 ☐


DELTALIGHT®

DOT.COM M4 TRIMLESS 93049 MMAT


424 512 04 933 MMAT




21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8 2->2



21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8 3->4




21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8 1->3




21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5 1->3

Mounting kits




424 512 04 00 MOUNTING KIT DOT.COM M4 TRIMLESS

Mounting kits stretched ceiling



15212 0110 MOUNTING KIT DOT.COM M4 TRIMLESS CSC



15212 0180 MOUNTING KIT DOT.COM M4 TRIMLESS WSC

DELTALIGHT®

DOT.COM M4 TRIMLESS 93049 MMAT

424 512 04 933 MMAT

Notes: