



## HEDRA ON 2 93033 DIM1 BBR-B

473 231 812 932 ED1 BBR-B



AVAILABLE IN

**BLACK-BLACK** 473 231 812 932 ED1 B-B

**BLACK BRONZE-BLACK** 473 231 812 932 ED1 BBR-B

**GOLD COLORED-BLACK** 473 231 812 932 ED1 GC-B

**WHITE-WHITE** 473 231 812 932 ED1 W-W



[View on website](#)

### General info

<b>LOCATION</b>	indoor
<b>INSTALLATION</b>	Ceiling Surface mounted, Wall Surface mounted
<b>INGRESS PROTECTION</b>	IP20
<b>WEIGHT (KG)</b>	0.9
<b>ADJUSTABILITY</b>	0° to 90° swiveling, 355° rotatable
<b>INFORMATION</b>	2 x REFLECTOR FL-33° INCL.DIMMABLE LED POWER SUPPLY 350mA-DC

### Electrical info

<b>ELECTRICAL</b>	220-240V / 50-60Hz
<b>CLASS</b>	I
<b>POWER SUPPLY INCLUDED</b>	YES
<b>DIM TYPE</b>	1-10V
<b>ENERGY CLASS</b>	D
<b>CERTIFICATES</b>	EAC, ENEC

### Lightsource info

<b>LIGHTSOURCE NAME</b>	LED
<b>LIGHTSOURCE</b>	2 x (LED array 5,8W / CRI>90 (R9: 52) / 3000K / 787lm)
<b>TM-30 VALUES</b>	Rf: 90 / Rg: 99
<b>SDCM</b>	SDCM1
<b>RISKGROUP</b>	RG1
<b>LM80</b>	L90B10 > 50000
<b>LED TECHNICS (LIGHT SOURCE)</b>	1574lm // 11,6W // 135lm/W
<b>LED TECHNICS (LUMINAIRE)</b>	790lm // 13W // 59lm/W

### Requirements

VIZIR TUBE

### Accessories

VIZIR HONEYCOMB  
VIZIR SOFTENING LENS


## HEDRA ON 2 93033 DIM1 BBR-B

473 231 812 932 ED1 BBR-B

For detailed installation instructions, please consult the manual: [473\\_231\\_812\\_XXX\\_ED1\\_HAND.pdf](#)

### FINISH YOUR SPECIFICATION


#### Control gear, ballast and transformers




**300 90 016 ED1** WIRELESS CONTROL 5A DIM1

☐

#### Light altering devices




**473 03 01 B** VIZIR HONEYCOMB B

☐

**473 03 04** VIZIR SOFTENING LENS

☐

#### Finish your product



**473 01 00 B** VIZIR TUBE B

☐

**473 01 00 FBR** VIZIR TUBE FBR

☐

**473 01 00 FG** VIZIR TUBE FG

☐

**473 01 00 W** VIZIR TUBE W

☐



## **HEDRA ON 2 93033 DIM1 BBR-B**

473 231 812 932 ED1 BBR-B

Notes: