



INFORM R2 DOWN-UP 92748 B-MMAT

26818 9220 B-MMAT

AVAILABLE IN



BLACK-BLACK 26818 9220 B-B

BLACK-GOLD MATT 26818 9220 B-MMAT

FLEMISH GOLD-BLACK 26818 9220 FG-B

WHITE-BLACK 26818 9220 W-B

WHITE-WHITE 26818 9220 W-W



[View on website](#)



General info	
LOCATION	indoor
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	2.2
ADJUSTABILITY	non adjustable
INFORMATION	96 x REFLECTOR WFL-71° (DOWN) EXCL.LED 2 x POWER SUPPLY 700mA-DC (DOWN/UP) INCL.4 x CABLE SUSPENSION SINGLE AUTO. 1,6m INCL.1 x CABLE 5 x 0.75mm ²
Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	C
CERTIFICATES	CB, ENEC
Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	DOWN: LED cluster 22,9W / CRI>90 (R9: 50) / 2700K / 3456lm UP: LED cluster 11,5W / CRI>90 (R9: 50) / 2700K / 1728lm
SDCM	SDCM3
LM80	L80 > 60000
LED TECHNICS (LIGHT SOURCE)	DOWN: 3456lm // 22,9W // 151lm/W UP: 1728lm // 11,5W // 151lm/W
LED TECHNICS (LUMINAIRE)	DOWN: 2761lm // 26W // 105lm/W UP: 1106lm // 13W // 84lm/W
Requirements	
LED POWER SUPPLY 700mA-DC DIM (Remote)	

INFORM R2 DOWN-UP 92748 B-MMAT

26818 9220 B-MMAT

Options

CABLE BASE R / S

COVERSET R 62-90-100 / S 62-80-90

CONNECTION ST / CONNECTION TRIMLESS



SUSPENSION ST / SUSPENSION TRIMLESS

For detailed installation instructions, please consult the manual: [**26818_XXX0_HAND.pdf**](#)


INFORM R2 DOWN-UP 92748 B-MMAT
26818 9220 B-MMAT

FINISH YOUR SPECIFICATION


Current supply

	<u>203 99 55 ANO</u> CABLE BASE R ANO	☐
	<u>203 99 55 B</u> CABLE BASE R B	☐
	<u>203 99 55 W</u> CABLE BASE R W	☐
	<u>203 99 56 ANO</u> CABLE BASE S ANO	☐
	<u>203 99 56 B</u> CABLE BASE S B	☐
	<u>203 99 56 W</u> CABLE BASE S W	☐

LED power supplies #

	<u>300 90 68</u> LED POWER SUPPLY MULTI-POWER DIM5	1 down / 1 up ☐
--	---	--


Coversets

	<u>204 00 100 B</u> COVERSET R 100 B	☐
	<u>204 00 100 W</u> COVERSET R 100 W	☐

INFORM R2 DOWN-UP 92748 B-MMAT


26818 9220 B-MMAT

Suspension parts



328 10 01

SUSPENSION TRIMLESS O.F.A.

☐

15225 0340 B

SUSPENSION ST B


☐

15225 0340 W

SUSPENSION ST W

☐

Electric connection parts



328 10 03

CONNECTION TRIMLESS O.F.A.

☐

15225 0360 B

CONNECTION ST B

☐

15225 0360 W

CONNECTION ST W

☐

Notes: