





## OUTLINER 100 930

27810 9300 N

AVAILABLE IN  
**ANTHRACITE** 27810 9300 N



 [View on website](#)



### General info

<b>LOCATION</b>	outdoor
<b>INSTALLATION</b>	Floor Surface mounted
<b>INGRESS PROTECTION</b>	IP54
<b>PROTECTION AGAINST MECHANICAL IMPACT</b>	IK03
<b>WEIGHT (KG)</b>	2.4
<b>ADJUSTABILITY</b>	non adjustable
<b>INFORMATION</b>	EXCL.LED POWER SUPPLY 24V-DC

### Electrical info

<b>ELECTRICAL</b>	24V-DC
<b>CLASS</b>	III
<b>DIM TYPE</b>	depending on power supply
<b>ENERGY CLASS</b>	F

### Lightsource info

<b>LIGHTSOURCE NAME</b>	LED
<b>LIGHTSOURCE</b>	LED LED FLEX OUT 4,75W / CRI>90 / 3000K / 494lm
<b>LED TECHNICS (LIGHT SOURCE)</b>	494lm // 4,75W // 104lm/W
<b>LED TECHNICS (LUMINAIRE)</b>	148lm // 5,5W // 27lm/W

### Requirements

LED POWER SUPPLY 24V-DC (PWM)

### Options

CBOX  
PIN II

For detailed installation instructions, please consult the manual : [27810\\_XXX0\\_HAND.pdf](#)

### FINISH YOUR SPECIFICATION

#### LED power supplies

#### # of Fixtures



# of fixtures indicates how many devices can be connected (min -> max) to the power supply. The values before and after the '|' correspond respectively with the minimum and maximum driving current. Values between brackets are applicable to 110V.

Min current | Max current




**300 89 24 150** LED POWER SUPPLY 24V-DC / 150W

29

**Dimtype: non-dimmable**

**Cutout dimension (mm): 75**




**300 90 61** LED POWER SUPPLY MULTI-POWER DIM6

3

**Dimtype: mains (phase cut-off) or push button**

**Cutout dimension (mm): 56**




**21012 0101** LED POWER SUPPLY 24V-DC / 60W IP67 DIM1

11

**Dimtype: 1-10V**

**Cutout dimension (mm): 65**




**21012 0111** LED POWER SUPPLY 24V-DC / 90W IP67 DIM1

17

**Dimtype: 1-10V**

**Cutout dimension (mm): 75**




**21012 0121** LED POWER SUPPLY 24V-DC / 120W IP67 DIM1

23

**Dimtype: 1-10V**

**Cutout dimension (mm): 75**




**21012 0135** LED POWER SUPPLY 24V-DC / 60W IP67 DIM5

11

**Dimtype: DALI**

**Cutout dimension (mm): 65**




**21012 0145** LED POWER SUPPLY 24V-DC / 90W IP67 DIM5

17

**Dimtype: DALI**

**Cutout dimension (mm): 75**



**21012 0155** LED POWER SUPPLY 24V-DC / 120W IP67 DIM5

23


**Dimtype: DALI**

**Cutout dimension (mm): 75**

# DELTALIGHT

## OUTLINER 100 930

27810 9300 N




**21012 0160** LED POWER SUPPLY 24V-DC / 24W

4

**Dimtype: non-dimmable**

**Cutout dimension (mm): 55**




**21012 0171** LED POWER SUPPLY 24V-DC / 60W DIM1

11

**Dimtype: 1-10V**

**Cutout dimension (mm): 61**




**21012 0181** LED POWER SUPPLY 24V-DC / 90W DIM1

17

**Dimtype: 1-10V**

**Cutout dimension (mm): 70**




**21012 0191** LED POWER SUPPLY 24V-DC / 120W DIM1

23

**Dimtype: 1-10V**

**Cutout dimension (mm): 70**




**21012 0205** LED POWER SUPPLY 24V-DC / 60W DIM5

11

**Dimtype: DALI**

**Cutout dimension (mm): 61**




**21012 0225** LED POWER SUPPLY 24V-DC / 100W DIM5

19

**Dimtype: DALI**

**Cutout dimension (mm): 70**


### Waterproof connection parts



**216 12 00** CBOX

**Cutout dimension (mm): 142 x 142**

### Pins and plates for bollards



**229 01 11** PIN 11

# DELTALIGHT

## **OUTLINER 100 930**

27810 9300 N

Notes: