





SUPER-OH! SLIM 120 SBL DOWN
930 DIM4

20738 9304 B

AVAILABLE IN
BLACK 20738 9304 B
WHITE 20738 9304 W



 [View on website](#)



General info	
LOCATION	indoor
INSTALLATION	Ceiling Surface mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	5.6
ADJUSTABILITY	non adjustable
INFORMATION	INCL.PC SBL INCL.DIMMABLE LED POWER SUPPLY 1400mA
Electrical info	
ELECTRICAL	220-240V / 0 50-60Hz
CLASS	I
POWER SUPPLY	YES
DIM TYPE	DALI or DSI or push button
ENERGY CLASS	D
CERTIFICATES	CB, ENEC, RCM
Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	LED cluster 44,6W / CRI>90 (R9: 50) / 3000K / 7085lm
SDCM	SDCM3
LM80	L80 > 60000
LED TECHNICS (LIGHT SOURCE)	7085lm // 44,6W // 159lm/W
LED TECHNICS (LUMINAIRE)	4733lm // 51,3W // 92lm/W
Options	
SUSPENSION SET 29 5x0,75 3m	
CABLE BASE R / S	
COVERSET R 62-90-100 / S 62-80-90	

For detailed installation instructions, please consult the manual : [20738_XXX4_HAND.pdf](#)

DELTA



LIGHT

SUPER-OH! SLIM 120 SBL DOWN 930 DIM4



20738 9304 B

FINISH YOUR SPECIFICATION

Current supply

	203 99 55 ANO CABLE BASE R ANO	☐
	203 99 55 B CABLE BASE R B	☐
	203 99 55 W CABLE BASE R W	☐
	203 99 56 ANO CABLE BASE S ANO	☐
	203 99 56 B CABLE BASE S B	☐
	203 99 56 W CABLE BASE S W	☐





Coversets

	204 00 62 ANO COVERSET R 62 ANO	☐
	204 00 62 B COVERSET R 62 B	☐
	204 00 62 W COVERSET R 62 W	☐
	204 00 90 ANO COVERSET R 90 ANO	☐
	204 00 90 B COVERSET R 90 B	☐
	204 00 90 W COVERSET R 90 W	☐

DELTALIGHT

SUPER-OH! SLIM 120 SBL DOWN 930 DIM4

20738 9304 B

	<u>204 00 100 ANO</u> COVERSET R 100 ANO	☐
	<u>204 00 100 B</u> COVERSET R 100 B	☐
	<u>204 00 100 W</u> COVERSET R 100 W	☐
	<u>204 62 62 ANO</u> COVERSET S 62 ANO	☐
	<u>204 62 62 B</u> COVERSET S 62 B	☐
	<u>204 62 62 W</u> COVERSET S 62 W	☐
	<u>204 80 80 ANO</u> COVERSET S 80 ANO	☐
	<u>204 80 80 B</u> COVERSET S 80 B	☐
	<u>204 80 80 W</u> COVERSET S 80 W	☐
	<u>204 90 90 ANO</u> COVERSET S 90 ANO	☐
	<u>204 90 90 B</u> COVERSET S 90 B	☐
	<u>204 90 90 W</u> COVERSET S 90 W	☐

Suspension parts

	<u>15225 0290 B</u> SUSPENSION SET 29 5x0,75 3m B	☐
---	--	--------------------------

DELTALIGHT

SUPER-OH! SLIM 120 SBL DOWN 930 DIM4

20738 9304 B

15225 0290 W SUSPENSION SET 29 5x0,75 3m W

☐

Electric connection parts



15225 0360 B CONNECTION ST B

☐

Cutout dimension (mm): 43

15225 0360 W CONNECTION ST W

☐

Notes: