



SUPERNOVA LINE 65 TW DIM5

274 95 06 26 ED5 B

AVAILABLE IN

BLACK 274 95 06 26 ED5 B

WHITE 274 95 06 26 ED5 W



[View on website](#)



General info

LOCATION	indoor
INSTALLATION	Ceiling Surface mounted,Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	6.3
ADJUSTABILITY	non adjustable
INFORMATION	INCL.PC SBL INCL.DIMMABLE LED POWER SUPPLY - DALI (DT6) 2 DALI CONTROL CHANNELS

Electrical info

ELECTRICAL	120-240V / 0 50-60Hz
CLASS	I
POWER SUPPLY	YES
DIM TYPE	DALI
ENERGY CLASS	F
CERTIFICATES	CB, ENEC, EPD, RCM

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	@ 2700K: LED cluster 45W / CRI>80 / 2700K - 5700K / 4208lm Or @ 5700K:LED cluster 45W / CRI>80 / 2700K - 5700K / 4841lm
LED TECHNICS (LIGHT SOURCE)	@ 2700K: 4208 lm // 45 W // 94 lm/W Or @ 5700K: 4841 lm // 45 W // 108 lm/W
LED TECHNICS (LUMINAIRE)	3131lm // 51,8W // 60lm/W Or 3592lm // 51,8W // 69lm/W

Options

SUSPENSION SET 18 3m TW ED5
CABLE BASE R/S + COVERSET R/S
CENTRAL ROD SUSPENSION
SUPERNOVA 65 RECESSED KIT

For detailed installation instructions, please consult the manual : [274_95_06_26_ED5_HAND.pdf](#)

DELTALIGHT

SUPERNOVA LINE 65 TW DIM5

274 95 06 26 ED5 B

FINISH YOUR SPECIFICATION

Current supply



203 99 55 ANO CABLE BASE R ANO

203 99 55 B CABLE BASE R B

203 99 55 W CABLE BASE R W




203 99 56 ANO CABLE BASE S ANO

203 99 56 B CABLE BASE S B

203 99 56 W CABLE BASE S W


Recessed kits



274 94 0710 SUPERNOVA 65 RECESSED KIT

 Cutout dimension (mm): 735

Coversets



204 00 62 ANO COVERSET R 62 ANO


204 00 62 B COVERSET R 62 B

204 00 62 W COVERSET R 62 W

DELTALIGHT

SUPERNOVA LINE 65 TW DIM5


274 95 06 26 ED5 B



204 00 90 ANO COVERSET R 90 ANO

204 00 90 B COVERSET R 90 B


204 00 90 W COVERSET R 90 W



204 00 100 ANO COVERSET R 100 ANO

204 00 100 B COVERSET R 100 B


204 00 100 W COVERSET R 100 W



204 62 62 ANO COVERSET S 62 ANO

204 62 62 B COVERSET S 62 B


204 62 62 W COVERSET S 62 W



204 80 80 ANO COVERSET S 80 ANO

204 80 80 B COVERSET S 80 B

204 80 80 W COVERSET S 80 W



204 90 90 ANO COVERSET S 90 ANO

204 90 90 B COVERSET S 90 B

204 90 90 W COVERSET S 90 W

DELTALIGHT


SUPERNOVA LINE 65 TW DIM5

274 95 06 26 ED5 B

Suspension parts

328 18 43 TW ED5 SUSPENSION SET 18 TW DIM5 3m

Dimtype: DALI



328 24 61 B CENTRAL ROD SUSPENSION 65 1m B

328 24 61 W CENTRAL ROD SUSPENSION 65 1m W

Electric connection parts



15225 0360 B CONNECTION ST B

Cutout dimension (mm): 43

15225 0360 W CONNECTION ST W

Notes: