



SUPERNOVA LINE 95 TW WD

274 95 09 26 WD B

AVAILABLE IN

BLACK 274 95 09 26 WD B

WHITE 274 95 09 26 WD W



[View on website](#)



General info

| | |
|---------------------------|--|
| LOCATION | indoor |
| INSTALLATION | Ceiling Surface mounted,Ceiling Suspended |
| INGRESS PROTECTION | IP20 |
| WEIGHT (KG) | 12.7 |
| ADJUSTABILITY | non adjustable |
| INFORMATION | INCL.PC SBL INCL.DIMMABLE LED POWER SUPPLY HUMAN CENTRIC LIGHT CONTROL |

Electrical info

| | |
|---------------------|-------------------------|
| ELECTRICAL | 120-240V / 0 50-60Hz |
| CLASS | I |
| POWER SUPPLY | YES |
| DIM TYPE | WDL = wireless dimmable |
| ENERGY CLASS | F |
| CERTIFICATES | CB, EAC, ENEC, EPD, RCM |

Lightsource info

| | |
|------------------------------------|---|
| LIGHTSOURCE NAME | LED |
| LIGHTSOURCE | @ 2700K: LED cluster 112W / CRI>80 / 2700K - 5700K / 10520lm Or @ 5700K:LED cluster 112W / CRI>80 / 2700K - 5700K / 12103lm |
| LED TECHNICS (LIGHT SOURCE) | @ 2700K: 10520 lm // 112 W // 94 lm/W Or @ 5700K: 12103 lm // 112 W // 108 lm/W |
| LED TECHNICS (LUMINAIRE) | 8016lm // 128,8W // 62lm/W Or 9198lm // 128,8W // 71lm/W |

Options

SUSPENSION SET 18 3m
CABLE BASE R / S + COVERSET R / S
CENTRAL ROD SUSPENSION
SUPERNOVA 95 RECESSED KIT

For detailed installation instructions, please consult the manual : [274_95_09_26_WD_HAND.pdf](#)


DELTALIGHT

SUPERNOVA LINE 95 TW WD

274 95 09 26 WD B

FINISH YOUR SPECIFICATION

Current supply



203 99 55 ANO CABLE BASE R ANO

203 99 55 B CABLE BASE R B

203 99 55 W CABLE BASE R W




203 99 56 ANO CABLE BASE S ANO

203 99 56 B CABLE BASE S B

203 99 56 W CABLE BASE S W

Recessed kits




274 94 1010 SUPERNOVA 95 RECESSED KIT



Cutout dimension (mm): 1035

Coversets



204 00 62 ANO COVERSET R 62 ANO


204 00 62 B COVERSET R 62 B

204 00 62 W COVERSET R 62 W

DELTALIGHT

SUPERNOVA LINE 95 TW WD


274 95 09 26 WD B



204 00 90 ANO COVERSET R 90 ANO

204 00 90 B COVERSET R 90 B


204 00 90 W COVERSET R 90 W



204 00 100 ANO COVERSET R 100 ANO

204 00 100 B COVERSET R 100 B


204 00 100 W COVERSET R 100 W



204 62 62 ANO COVERSET S 62 ANO

204 62 62 B COVERSET S 62 B


204 62 62 W COVERSET S 62 W



204 80 80 ANO COVERSET S 80 ANO

204 80 80 B COVERSET S 80 B

204 80 80 W COVERSET S 80 W



204 90 90 ANO COVERSET S 90 ANO

204 90 90 B COVERSET S 90 B

204 90 90 W COVERSET S 90 W


DELTALIGHT

SUPERNOVA LINE 95 TW WD

274 95 09 26 WD B

Suspension parts

328 18 43 SUSPENSION SET 18 3m



328 24 91 B CENTRAL ROD SUSPENSION 95 1m B

328 24 91 W CENTRAL ROD SUSPENSION 95 1m W

Electric connection parts



15225 0360 B CONNECTION ST B

Cutout dimension (mm): 43

15225 0360 W CONNECTION ST W

Notes: