
DELTALIGHT®



TRACK 3F DIM IN 1m W

200 13 410 W

AVAILABLE IN
BLACK 200 13 410 B
WHITE 200 13 410 W



View on website

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - 40 x (L + ENDCAP + SUPPLY + CORNERS)
RECESSED DEPTH (MM)	70
THICKNESS OF MOUNTING SURFACE (MM)	min.5 - max.25
INGRESS PROTECTION	IP20
WEIGHT (KG)	1.2

Electrical info	
CLASS	I

Options

TRACK OPTIONS

For detailed installation instructions, please consult the manual: **200_13_4x0_HAND.pdf**


DELTALIGHT®

TRACK 3F DIM IN 1m W

200 13 410 W


TRACK PARTS

Track profiles




200 13 410 B TRACK 3F DIM IN 1m B

200 13 410 W TRACK 3F DIM IN 1m W



200 13 420 B TRACK 3F DIM IN 2m B

200 13 420 W TRACK 3F DIM IN 2m W



200 13 430 B TRACK 3F DIM IN 3m B


200 13 430 W TRACK 3F DIM IN 3m W

DELTALIGHT®

TRACK 3F DIM IN 1m W


200 13 410 W

Track parts




200 12 11 B TRACK 3F DIM END SUPPLY 11 B

200 12 11 W TRACK 3F DIM END SUPPLY 11 W




200 12 12 B TRACK 3F DIM END SUPPLY 12 B

200 12 12 W TRACK 3F DIM END SUPPLY 12 W




200 12 14 B TRACK 3F DIM MIDDLE SUPPLY B

200 12 14 W TRACK 3F DIM MIDDLE SUPPLY W




200 12 21 B TRACK 3F DIM CORNER 180° B

200 12 21 W TRACK 3F DIM CORNER 180° W




200 12 34 B TRACK 3F DIM CORNER 90° IN B

200 12 34 W TRACK 3F DIM CORNER 90° IN W



200 12 35 B TRACK 3F DIM CORNER 90° OUT B

200 12 35 W TRACK 3F DIM CORNER 90° OUT W




200 13 11 B TRACK 3F DIM IN RECESSED COVER END SUPPLY B

DELTALIGHT®

TRACK 3F DIM IN 1m W


200 13 410 W

200 13 11 W TRACK 3F DIM IN RECESSED COVER END SUPPLY W




200 13 12 B TRACK 3F DIM IN RECESSED COVER CORNER 90° B

200 13 12 W TRACK 3F DIM IN RECESSED COVER CORNER 90° W




200 13 14 B TRACK 3F DIM IN RECESSED COVER MIDDLE SUPPLY B

200 13 14 W TRACK 3F DIM IN RECESSED COVER MIDDLE SUPPLY W




200 13 14 01 TRACK 3F DIM IN - INSIDE CLIP



200 13 41 B TRACK 3F DIM IN END CAP B

200 13 41 W TRACK 3F DIM IN END CAP W

Special components




200 12 01 TRACK 3F DIM CUTTING TOOL

TRACK 3F DIM IN 1m W


200 13 410 W

COMPATIBLE LUMINAIRES

FRAGMA




23612 931W FRAGMA S 93014 ADM WD




23612 941W FRAGMA S 94014 ADM WD

FRAGMA SUPERSPOT




23616 931W FRAGMA L SUPERSPOT 9308 ADM WD




23616 941W FRAGMA L SUPERSPOT 9408 ADM WD


INFORM OK ADM



29312 8325 INFORM OK 83067 ADM SLIM DIM5




29312 9225 INFORM OK 92767 ADM SLIM DIM5



29312 9325 INFORM OK 93067 ADM SLIM DIM5

LED LINE OK ADM




29311 9305 LED LINE OK 930 ADM SLIM DIM5

TRACK 3F DIM IN 1m W


200 13 410 W

MULTINOVA 30 ADM




27934 9005 MULTINOVA 30 TW PRISM 930 ADM DIM5

MULTINOVA 30 PIVOT ADM



27937 9305 MULTINOVA 30 PIVOT SMOKE 930 ADM DIM5

MULTINOVA 55 ADM




28034 9005 MULTINOVA 55 TW PRISM 930 ADM DIM5


SPY 52 ADM



19881 9025 SPY 52 TW 96520 ADM DIM5




19881 9035 SPY 52 TW 96545 ADM DIM5




19881 9045 SPY 52 TW 96530 ADM DIM5

SPY 52 WALLWASH ADM



19886 9205 SPY 52 WALLWASH 927 ADM SLIM DIM5




19886 9305 SPY 52 WALLWASH 930 ADM SLIM DIM5

DELTALIGHT®


TRACK 3F DIM IN 1m W

200 13 410 W


SPY 66 ADM



24629 9015 SPY 66 TW 96518 ADM DIM5




24629 9025 SPY 66 TW 96525 ADM DIM5




24629 9035 SPY 66 TW 96535 ADM DIM5

SPY 66 LP/MP ADM




24612 9235 SPY 66 MP 92739 ADM DIM5




24612 9335 SPY 66 MP 93039 ADM DIM5

SPY 66 WALLWASH ADM



24632 9205 SPY 66 WALLWASH 927 ADM SLIM DIM5




24632 9305 SPY 66 WALLWASH 930 ADM SLIM DIM5


TRACK 3F DIM IN 1m W

200 13 410 W


SPY 90 ADM



19884 9015 SPY 90 TW 96518 ADM DIM5




19884 9025 SPY 90 TW 96530 ADM DIM5




19884 9035 SPY 90 TW 96545 ADM DIM5

SUPER-OH XS PIVOT ADM



308 22 03 83 ADM ED8 SUPER-OH! XS PIVOT 39 ADM DIM8

TRACK 3F DIM IN



200 13 430 TRACK 3F DIM IN 3m

Notes: