





## XY180 S121 PUNK DIM1 B

422 162 811 932 ED1 B

AVAILABLE IN  
**BLACK** 422 162 811 932 ED1 B



[View on website](#)

### General info

|                           |   |
|---------------------------|---|
| <b>LOCATION</b>           | indoor  |
| <b>INSTALLATION</b>       | Ceiling Surface mounted   |
| <b>INGRESS PROTECTION</b> | IP20  |
| <b>WEIGHT (KG)</b>        | 1.6   |
| <b>ADJUSTABILITY</b>      | 0° to 120° swiveling, 360° rotatable  |
| <b>INFORMATION</b>        | Spot : REFLECTOR FL-33°<br>INCL.DIMMABLE LED POWER SUPPLY 350mA-DC<br>CABLING 1 CIRCUIT |

### Electrical info

|                              |                      |
|------------------------------|----------------------|
| <b>ELECTRICAL</b>            | 220-240V / 0 50-60Hz |
| <b>CLASS</b>                 | I                    |
| <b>POWER SUPPLY INCLUDED</b> | YES                  |
| <b>DIM TYPE</b>              | 1-10V                |
| <b>ENERGY CLASS</b>          | E                    |

### Lightsource info

|                                    |   |
|------------------------------------|---|
| <b>LIGHTSOURCE NAME</b>            | LED   |
| <b>LIGHTSOURCE</b>                 | Tube: LED flex 8,9W / CRI>90 / 3000K / 1050lm<br>Spot: LED array 5,8W / CRI>90 (R9: 52) / 3000K / 787lm |
| <b>TM-30 VALUES</b>                | Spot: Rf: 90 / Rg: 99   |
| <b>SDCM</b>                        | SDCM1   |
| <b>RISKGROUP</b>                   | RG1   |
| <b>LM80</b>                        | L90B10 > 50000  |
| <b>LED TECHNICS (LIGHT SOURCE)</b> | Tube: 1050lm // 8,9W // 118lm/W<br>Spot: 787lm // 5,8W // 135lm/W                                       |
| <b>LED TECHNICS (LUMINAIRE)</b>    | Tube: 874lm // 10W // 85lm/W<br>Spot: 405lm // 7W // 61lm/W   |

### Remarks

[Look at the XY180 brochure](#)

### Requirements

SPY TUBE

## **XY180 S121 PUNK DIM1 B**

422 162 811 932 ED1 B

### **Options**

---

XY180 CONNECTION BOX  
COVERSET R 90-100

### **Accessories**

---

HONEYCOMB 50  
LINEAR SPREAD LENS 50  
SPREAD LENS 50  
SOFTENING LENS 50  
GLASS SBL 50


For detailed installation instructions, please consult the manual: [422\\_162\\_811\\_XXX\\_ED1\\_HAND.pdf](#)

**XY180 S121 PUNK DIM1 B**

422 162 811 932 ED1 B

**FINISH YOUR SPECIFICATION**


**Control gear, ballast and transformers**



**300 90 016 ED1** WIRELESS CONTROL 5A DIM1

☐

**Coversets**



**204 00 100 B** COVERSET R 100 B

☐

**204 00 100 W** COVERSET R 100 W






☐



**XY180 S121 PUNK DIM1 B**

422 162 811 932 ED1 B

Light altering devices


|   |  |                          |
|---|--|--------------------------|
| <br>Ø50   | <b>413 03 01 B</b> HONEYCOMB 50 B      | <input type="checkbox"/> |
| <br>Ø50   | <b>413 03 02</b> LINEAR SPREAD LENS 50 | <input type="checkbox"/> |
| <br>Ø50   | <b>413 03 03</b> SPREAD LENS 50        | <input type="checkbox"/> |
| <br>Ø50  | <b>413 03 04</b> SOFTENING LENS 50     | <input type="checkbox"/> |
| <br>Ø50 | <b>413 03 05</b> GLASS SBL 50          | <input type="checkbox"/> |

 DELTALIGHT®

**XY180 S121 PUNK DIM1 B**

422 162 811 932 ED1 B

Finish your product

|   |                       |               |                          |
|---|-----------------------|---------------|--------------------------|
|  <div><div>53</div><div>Ø60</div></div> | <b>414 01 00 B</b>    | SPY TUBE B    | <input type="checkbox"/> |
|   | <b>414 01 00 FBR</b>  | SPY TUBE FBR  | <input type="checkbox"/> |
|   | <b>414 01 00 FG</b>   | SPY TUBE FG   | <input type="checkbox"/> |
|   | <b>414 01 00 MMAT</b> | SPY TUBE MMAT | <input type="checkbox"/> |
|   | <b>414 01 00 SG</b>   | SPY TUBE SG   | <input type="checkbox"/> |
|   | <b>414 01 00 W</b>    | SPY TUBE W    | <input type="checkbox"/> |

Other

|  |                    |                        |                          |
|--|--------------------|------------------------|--------------------------|
|  <div><div>133</div><div>Ø76</div></div> | <b>422 99 01 B</b> | XY180 CONNECTION BOX B | <input type="checkbox"/> |
|--|--------------------|------------------------|--------------------------|

Notes: