





XY180 S81 PUNK DIM1 B

422 161 811 932 ED1 B

AVAILABLE IN
BLACK 422 161 811 932 ED1 B



[View on website](#)

General info

LOCATION	indoor
INSTALLATION	Ceiling Surface mounted
INGRESS PROTECTION	IP20
WEIGHT (KG)	1.4
ADJUSTABILITY	0° to 120° swiveling, 360° rotatable
INFORMATION	Spot : REFLECTOR FL-33° INCL.DIMMABLE LED POWER SUPPLY 350mA-DC CABLING 1 CIRCUIT

Electrical info

ELECTRICAL	220-240V / 0 50-60Hz
CLASS	I
POWER SUPPLY INCLUDED	YES
DIM TYPE	1-10V
ENERGY CLASS	E

Lightsource info

LIGHTSOURCE NAME	LED
LIGHTSOURCE	Tube: LED flex 8,9W / CRI>90 / 3000K / 1050lm Spot: LED array 5,8W / CRI>90 (R9: 52) / 3000K / 787lm
TM-30 VALUES	Spot: Rf: 90 / Rg: 99
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	Tube: 1050lm // 8,9W // 118lm/W Spot: 787lm // 5,8W // 135lm/W
LED TECHNICS (LUMINAIRE)	Tube: 874lm // 10W // 85lm/W Spot: 405lm // 7W // 61lm/W

Remarks

[Look at the XY180 brochure](#)

Requirements

SPY TUBE

XY180 S81 PUNK DIM1 B

422 161 811 932 ED1 B

Options

XY180 CONNECTION BOX
COVERSET R 90-100

Accessories

HONEYCOMB 50
LINEAR SPREAD LENS 50
SPREAD LENS 50
SOFTENING LENS 50
GLASS SBL 50


For detailed installation instructions, please consult the manual: [422_161_811_XXX_ED1_HAND.pdf](#)

XY180 S81 PUNK DIM1 B

422 161 811 932 ED1 B

FINISH YOUR SPECIFICATION


Control gear, ballast and transformers



300 90 016 ED1 WIRELESS CONTROL 5A DIM1

☐

Coversets








204 00 100 B COVERSET R 100 B

☐

204 00 100 W COVERSET R 100 W

☐


Light altering devices

 <div><div>Ø50</div></div>	<div><div>413 03 01 B</div><div>HONEYCOMB 50 B</div></div>	<input type="checkbox"/>
 <div><div>Ø50</div></div>	<div><div>413 03 02</div><div>LINEAR SPREAD LENS 50</div></div>	<input type="checkbox"/>
 <div><div>Ø50</div></div>	<div><div>413 03 03</div><div>SPREAD LENS 50</div></div>	<input type="checkbox"/>
 <div><div>Ø50</div></div>	<div><div>413 03 04</div><div>SOFTENING LENS 50</div></div>	<input type="checkbox"/>
 <div><div>Ø50</div></div>	<div><div>413 03 05</div><div>GLASS SBL 50</div></div>	<input type="checkbox"/>

XY180 S81 PUNK DIM1 B

422 161 811 932 ED1 B

Finish your product

	414 01 00 B	SPY TUBE B	<input type="checkbox"/>
	414 01 00 FBR	SPY TUBE FBR	<input type="checkbox"/>
	414 01 00 FG	SPY TUBE FG	<input type="checkbox"/>
	414 01 00 MMAT	SPY TUBE MMAT	<input type="checkbox"/>
	414 01 00 SG	SPY TUBE SG	<input type="checkbox"/>
	414 01 00 W	SPY TUBE W	<input type="checkbox"/>

Other

	422 99 01 B	XY180 CONNECTION BOX B	<input type="checkbox"/>
--	--------------------	------------------------	--------------------------

Notes: